

Drain fluid cryo-explant technique for treatment of superior bullous rhegmatogenous retinal detachment in young adults: Soliman KA, Mahorus A, Enany H, Bor'i. Ther Adv Ophthalmol. 2021 Jan-Dec; 13: 2515841420988211.

Utility of polymerase chain reaction for rapid diagnosis of pediatric fungal keratitis: A comparative study with conventional mycological work up. Yahia S ; Mokhtar W; Hemeda S; Mokhtar G. Microbes and Infectious Diseases 2021; 2(1): 161-170.

Double-flanged polypropylene suture for scleral fixation of cionni *capsular* tension ring. Samir, A., Ayman, M., Elsayed, A., Alyan, A., Lotfy, A. Clinical Ophthalmology, 2020, 14, 1055–1058.

A Mitomycin C-sparing novel technique for subcleral trabeculectomy in primary congenital glaucoma. Bor'i A, Al-Mosallamy SM, Elsayed TG, El-Haig WM. J Ophthalmol. 2020 Jun 7;2020:2017158

Scleral fixation of single-piece foldable IOL using double-flanged technique. Samir A, ElHag YG, Elsayed AMA, Elsayed TG, Lotfy A. Clin Ophthalmol. 2020 Oct 8;14:3131-3136.

Assessment of peripapillary vessel density in acute non-arteritic anterior ischemic optic neuropathy. Al-Nashar HY, Hemeda S. Int Ophthalmol. 2020 May;40 (5):1269-1276.

Choroidal thickness measured by swept source optical coherence tomography in diabetic macular edema. Al-Nashar HY, Hemeda S. Delta Journal of Ophthalmology. 2020; 21:49–56.

The impact of catalase and glutathione peroxidase-1 genetic polymorphisms on their enzyme activities among Egyptian patients with keratoconus. Abdul-Maksoud RS, Fouad R , Elsayed TG , Ibrahim RA , Badawi AE. J Gene Med. 2020 Aug; 22(8): e3192.

TNFSF15 (rs3810936) in Behçet's disease. Sediq AM , Esawy MM , Hassanin HM , Abdul-Maksoud RS , Salama MA & Abdelwahab SM. British Journal of Biomedical Science, Volume 77, 2020 - Issue 3, 156-158.

Supracor LASIK treatment of hyperopic and myopic presbyopes: a comparative study. Ibrahim BM. Delta Journal of Ophthalmology, 21,90-100.

Combined phacoemulsification and viscocanalostomy with Ologen implant versus combined phacoemulsification and viscocanalostomy. Gad AAM, Abdulhalim BH, Lotfy A, Abdelrahman AM, Ahmed AS. BMC Ophthalmol. 2019 Feb 6;19 (1):45.

Secondary intraocular lens implantation after simultaneous penetrating keratoplasty and cataract extraction for coexisting corneal and lens opacities. Solaiman KAM, El-Haig WM, Bor'i A, Khalil AS, Awad AMB, Al-Bialy HA, Ibrahim BM. Cornea. 2019 Apr; 38 (4):397-402

Efficacy and frequency of intravitreal aflibercept versus bevacizumab for macular edema secondary to central retinal vein occlusion. Lotfy A, Solaiman KAM, Abdelrahman A, Samir A. Retina. 2018 Sep; 38(9):1795-1800.

Intravitreal clindamycin and dexamethasone combined with systemic oral antitoxoplasma therapy versus intravitreal therapy alone in the management of toxoplasma retinochoroiditis: A retrospective study. Bor'i A, Mahrous A, Al-Aswad MA, Al-Nashar HY, Nada WM, Wagih M, Awad AMB, El-Haig WM. J Ophthalmol. 2018 Feb 12;2018:4160837.

Conjunctival autograft combined with either preoperative Mitomycin C injection or intraoperative local Mitomycin C over the medial rectus muscle tendon in primary pterygium surgery. Lotfy A, Gad AAM, Abdelrahman A, Samir A, Abdulhalim BH. Eye Contact Lens. 2018 Nov; 44 Suppl 2:S192-S195

Photorefractive keratectomy for residual myopia after myopic Laser In Situ Keratomileusis. Solaiman KA, Fouda SM, Bor'i A, Al-Nashar HY. J Ophthalmol. 2017;2017:8725172

Trypan blue-assisted posterior capsulorhexis in pediatric cataract surgery. Lotfy A, Abdelrahman A. Clin Ophthalmol. 2017 Jan 24;11:219-222

Pomegranate protective effect on experimental ischemia/reperfusion retinal injury in rats (histological and biochemical study). Hashem HE, Abd El-Haleem MR, Amer MG, Bor'i A. Ultrastruct Pathol. 2017 Sep-Oct; 41(5):346-357.

Pars Plana Vitrectomy with Internal Limiting Membrane Peeling in Traumatic Macular Hole: 14% Perfluoropropane (C₃F₈) versus Silicone Oil Tamponade. Bor'i A, Al-Aswad MA, Saad AA, Hamada D, Mahrous A.J. Ophthalmol. 2017;2017:3917696.

Retropupillary iris-claw intraocular lens for the surgical correction of aphakia in cases with microspherophakia. Fouda SM, Al Aswad MA, Ibrahim BM, **Bori A**, Mattout HK. Indian J Ophthalmol. 2016 Dec; 64(12):884-887.

Predictability of Sirius dual-scanning corneal tomography in the measurement of corneal power after photorefractive surgery. Fouda SM, Al-Nashar HY, Ibrahim BM, Bor'i A. Int Ophthalmol. 2016 Feb; 36(1):85-90

Evaluation the adjunctive use of combined bevacizumab and mitomycin to trabeculectomy in management of recurrent pediatric glaucoma. Mahdy RA, Al-Mosallamy SM, Al-Aswad MA, Bor'i A, El-Haig WM. Eye (Lond). 2016 Jan; 30(1):53-8